

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1104	(340/310.01).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/07 14:06
S2	1999	(340/310.01-310.08).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/07 14:05
S5	54	(340/983).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/07 14:17
S6	12	S5 and ((power electric\$4) adj line)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 14:18
S14	69	S7 S8 S10 S11 S12 S13	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/07 14:27
S15	18	S14 and ((power overhead electric\$4) adj line)	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/07 14:28
S31	2566	((315/200r,326,344) or (340/310.01,981,983)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/08 13:07
S34	16	S33 and ((iron metal) adj core) and ((power electrical) adj line)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/08 09:25
S35	9	S33 and ((electrical power) adj line) and (warning adj light)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/08 09:28
S36	1838	((electrical power) adj line) and ((warning indicating) adj (lamp light beacon))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/08 09:29

S37	340	S36 and (airplane aircraft helicopter pilot)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/08 09:29
S38	139	S37 and capacitor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/08 09:30
S43	3570	((conductive metal iron) adj (core layer)) and ((electrical power) adj line)	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/08 09:49
S44	954	S43 and (capacitor) and (light beacon lamp)	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/08 09:49
S45	164	S44 and ("340".clas. "315".clas.)	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/08 09:50
S51	13	(US-3202963-\$ or US-4233546-\$ or US-5351032-\$ or US-5537111-\$ or US-5654825-\$ or US-5808424-\$ or US-4758962-\$ or US-5892430-\$ or US-5680033-\$ or US-5208577-\$ or US-5001402-\$ or US-4474133-\$ or US-2891195-\$).did.	USPAT	OR	ON	2005/02/08 09:58
S52	2	S51 and ((iron metal conductive) adj (core layer))	US-PGPUB; USPAT; USOCR	OR	ON	2005/02/08 09:58
S53	1104	(340/310.01).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/08 13:07
S54	2565	(xenon neon) and (lamp light indicator flash\$3) and (transformer) and rectifier and resistor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/08 13:08
S55	4	S53 and S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/08 14:27
S56	6405	((340/310.01,983,538,331,332,321) or (315/200r,200a,326,344) or (116/200,240,202)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/08 14:28

S57	784	S56 and (power adj line)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/08 14:28
S59	70	S57 and (flash\$4 adj (lamp led light indicator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/08 14:30